



PPN 100

Curva WC bassa in PP bianco
Low WC bend - made from white PP



CODE	Ø			€
WC	110	24	576	4,00



Curva WC bassa 1 attacco in PP bianco
Low WC bend with one coupling - made from white PP



CODE	Ø			€
WCD40	110x40	18	432	5,00
WCS40	110x40	18	432	5,00



Curva WC bassa 2 attacchi in PP bianco
Low WC bend with two couplings - made from white PP



CODE	Ø			€
WC240	110x40x40	14	336	6,00

Guarnizione autobloccante per curve WC
Self-locking seal for WC bend



CODE	Ø			€
GWC110	110	200	--	2,50

Curva WC alta in PP bianco
High WC bend - made from white PP



CODE	Ø			€
WCL110	110	24	576	5,00



Curva WC alta 1 attacco in PP bianco
High WC bend with one coupling - made from white PP



CODE	Ø			€
WCL110D40	110x40	18	432	6,00
WCL110S40	110x40	18	432	6,00



Curva WC alta 2 attacchi in PP bianco
High WC bend with two couplings - made from white PP



CODE	Ø			€
WCL110240	110x40x40	14	336	7,00

Guarnizione a labbro / Lip-seal



CODE	Ø			€
GLB040	40	--	--	0,40
GLB050	50	--	--	0,50

Pozzetto basso 3 entrate Ø 40 in PP grigio*Low inspection chamber with three Ø 40 entrances - made from grey PP*

CODE	ENTRATA/INLET	USCITA/OUTLET			€
PBU40N	100 40/40/40	40M	36	864	4,00
PBU50N	100 40/40/40	50M	36	864	4,00

Pozzetto alto 3 entrate Ø 40 in PP grigio*High inspection chamber with three Ø 40 entrances - made from grey PP*

CODE	ENTRATA/INLET	USCITA/OUTLET			€
PAU40N	100 40/40/40	40M	30	840	4,50
PAU50N	100 40/40/40	50M	30	840	4,50


Pozzetto basso 1 entrata Ø 40 in PP grigio*Low inspection chamber with one Ø 40 entrance - made from grey PP*

CODE	ENTRATA/INLET	USCITA/OUTLET			€
PBU40N1	100 40/40/40	40M	36	864	3,50
PBU50N1	100 40/40/40	50M	36	864	3,50

Pozzetto alto 1 entrata Ø 40 in PP grigio*High inspection chamber with one Ø 40 entrance - made from grey PP*

CODE	ENTRATA/INLET	USCITA/OUTLET			€
PAU40N1	100 40/40/40	40M	30	840	4,00
PAU50N1	100 40/40/40	50M	30	840	5,00

Tappo pozzetto completo chiuso con piattello inox
Closed sump plug with steel cap



CODE				€
TPCC100NX	100	130	5460	2,60

Tappo speciale pozzetto completo chiuso con piattello inox
Special closed sump plug with steel cap



CODE				€
TPCC090NX	90	130	5460	4,00
TPCC120NX	120	90	3780	4,70

Tappo pozzetto completo grigliato con piattello inox
Grilled sump plug with steel grate



CODE				€
TPCG100NX	100	60	2520	4,70

Tappo pozzetto completo chiuso con piattello inox 3 viti
Closed sump plug with steel cap 3 screws



CODE				€
TPCC100NX3	100	130	5460	9,50

Installazione/How to install

HOW TO
INSTALL



1

Controllare che la sede della guarnizione non presenti imperfezioni e/o buchi.

Check that the O' ring seat has not blemishes or holes.



2

Posizionare la guarnizione lubrificata nell'apposita sede.

Position the O' ring in the seat.



3

Posizionare la ghiera in plastica nell'apposita sede effettuando una leggera pressione.

Position the ring nut in its seat, by gently pressing it.



4

Controllare che il tutto sia assemblato correttamente.

Check that all the components are correctly assembled.



5

Utilizzare possibilmente un trapano con punta circolare.

Use a drill with a circular bit.



6

Praticare il foro all'entrata Ø 40 che si deve utilizzare.

Bore a hole in the Ø 40 inlet of your choice.

SI



Il pozzetto è pronto per essere installato!

The inspection chamber is ready to be installed!



NO

L'azienda sconsiglia di utilizzare martello e scalpello per praticare aperture nel pozzetto in quanto potrebbe scheggiarsi.

It is recommended not to use hammer and scalpel to hole the inspection chamber. It may chips.